

NOTES:


1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE SUBMITTED FOR APPROVAL
4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL FROM UCI MANUFACTURING CODE ITEM **MATERIAL FINISH** 100X75 BLOCKS RECLAIMED JARRAH NATURAL / WIRE BRUSHED **MATERIALS FINISH** WHITENED EDGE + INTERNAL FACES / BLACK OUTSIDE FACE 10% CLEAR SKIN BOARD 16mm BIRCH PLY JARRAH ROUTE DEPTH CHANGE IN DEPTH = 12mm RHS PANEL-REAR PANEL LHS PANEL ISO: SCALE 1:30 CHANGE OF DEPTH = 16mm FROM ROUTED SURFACE TO TOP OF 16mm PLY "SKIN BOARD **EXPLODED ISO: SCALE 1:30** DETAIL A SCALE 1:4 REAR OF CABINET **REAR FRONT** FRONT OF OF OF CABINET CABINET CABINET 12.0 16.0 16.0 12.0 28.0 28.0 28.0 797.0 797.0 **REAR PANEL LHS PANEL RHS PANEL** PLY DIM. PLY DIMENSION 2184.0 772.0 772.0 PLY DIMENSION PLY DIM. PLY DIM. ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5 SEPPELTSFIELD SHOWROOM DRAWN BY 1. JARRAH CLADING + 2. SKIN BOARD AG 10.09.13 CODE N/A 1:20 1 DO NOT SCALE DRAWING **4**OF13

**MATERIALS FINISH** 


CODE	ITEM	MATERIAL	FINISH
-	-	-	-
3	SKIN COVER	16mm BIRCH PLY	WHITENED EDGE + INTERNAL FACES 10% CLEAR

- NOTES:

  1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
  2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
  3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE SUBMITTED FOR APPROVAL
  4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
  5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL FROM UCI MANUFACTURING



SKIN COVER SITTING OVER CABINET AND INTO ROUTED JARRAH



ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5

SEPPELTSFIELD SHOWROOM DRAWN BY SKIN COVER + SECTION VIEW OF CABINET AG 10.09.13 CODE N/A **5**0F13 1:20 1 **A3** DO NOT SCALE DRAWING

NOTES:

1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE SUBMITTED FOR APPROVAL
4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL FROM UCI MANUFACTURING CODE **MATERIAL** ITEM **FINISH MATERIALS FINISH** 3 SKIN COVER 16mm BIRCH PLY WHITENED 10% CLEAR ЗА SPACER 16mm BIRCH PLY WHITENED 10% CLEAR SKIN COVER SPACER 3 \*NOTE: VISABLE FACES (THROUGH BEARERS) **DETAIL A** 3 Α 4X SPACERS ARE INDICITAVE ONLY MAY NEED TO ALTER THE MIDDLE 4 OR HAVE 1 OR 2 HORIZONTAL SPACERS 2184.0 SPACER-50.0 TYP 6PL. —► ( MATCHES CABINET WIDTH ) 864.0 **←** EQ **→ ←** EQ **→ ←** EQ **→ ←** EQ **→** 795.0\* 45° MITRE JOIN ALONG FRONT EDGE REFER TO DRAWING SHEET 5 OF 13 DETAIL B
THIS DIMENSION IS "FIT FOR FIT" THE REAR
EDGE OF THE STRIP IS INTENDED TO END FLUSH
WITH THE OUTSIDE FACE OF THE SKIN BOARD 45° MITRE ALONG FRONT EDGE WHEN ASSEMBLED ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5 50.0 SEPPELTSFIELD SHOWROOM DRAWN BY SKIN COVER + SECTION VIEW OF CABINET AG 10.09.13 DETAIL B CODE **SCALE 1:2** N/A 1:20 1 **6**0F13 DO NOT SCALE DRAWING

NOTES:

1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE
SUBMITTED FOR APPROVAL
4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL
FROM UCI MANUFACTURING CODE MATERIAL ITEM **FINISH** 100X75 BLOCKS RECLAIMED JARRAH NATURAL / WIRE BRUSHED **MATERIALS FINISH** 2 SKIN BOARD 16MM BIRCH PLY WHITENED, 10% CLEAR 10 - 20mm (SMALL UNDULATION)-40.0 ROUGH OR NATURAL SURFACE **BLOCK VARIATION** 100.0 O.A. BEARER WIDTH 60.0 ROUTED AT DEPTH 12MM FROM INT. BEARER FACE SECTION 12MM DEPTH 16.0 ACCEPT 16MM PLY "SKIN" / BIRCH PLY DETAIL C SCALE 1:10 ( 2400.0 UP TO 2600.0 O.A. )-12.0 SET BACK 2184.0 TO EDGE OF SKIN SKIN PLY AND CABINET CAVITY 16mm BIRCH PLY С DETAIL B SCALE 1:10 DETAIL E SCALE 1 : 2 12.0 ROUTED 2152.0 INT. **OUT JARRAH** 900.0 O.A. **→** 100.0 **→** THIS GIVES A 4MM 9 BLOCKS DEEP 16MM PLY EDGE OF SKIN BOARD-OFFSET FOR THE D **BIRCH TOP** 75.0 825.0 O.A. 28.0 11 BLOCKS HIGH TOP TOP DETAIL A FACE OF SKIN **SCALE 1:5 BOARD BLOCK ORIENTATION** DETAIL D 16mm PLY **SCALE 1:4** ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5 SEPPELTSFIELD SHOWROOM DRAWN BY DRAWN DATE 1. JARRAH CLADING 2. SKIN REFERANCE DIMENSIONS AG 10.09.13 CODE N/A

1:20


**7**0F13


**A3** 

DO NOT SCALE DRAWING

1

	CODE	ITEM	MATERIAL	FINISH
MATERIALS	2	SKIN BOARD	16MM BIRCH PLY	WHITENED, 10% CLEAR
FINISH	4	CABINET	16mm BIRCH PLY	WHITENED, 10% CLEAR
	4		CABINET ONLY	
	4			







NOTES:

1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE SUBMITTED FOR APPROVAL
4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL FROM UCI MANUFACTURING

16.0 PLY



**CABINET WITH SKIN (NO JARRAH SHOWN)** 



ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5

DESCRIPTION											
SEPPELTSFIELD SHOWROOM											
DRAWN BY	DRAWN DATE	CLUSTER		-							
AG	10.09.13	C	ABINET								
		SHEET	4 1	PAGE	SCALE	CODE		Rev			
DO NOT SCA	LE DRAWING	<b>A3</b>		<b>8</b> 0F13	1:20		N/A	1			


MATERIALS FINISH


CODE	ITEM	MATERIAL	FINISH
-	-	-	-
4	CABINET	16mm BIRCH PLY	WHITENED, 10% CLEAR


## GLUE AND SKREW CONSTRUCTION

- NOTES:


  1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
  2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
  3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE
  SUBMITTED FOR APPROVAL
  4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
  5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL
  FROM UCI MANUFACTURING








4







## **CUTTING LIST**

NOTE: NO TOLERANCE IN DIMS. PANEL SIZE QTY 767L X 765H X2 2116L X 765H X1 2148L X 767H X2 751D X 765H X2 D 751D X 564H X1 E F 1050L X 100D X1 751D X 528W X1

ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED, GENERAL TOLERANCE: 0 DECIMAL (0) 2.0.5; 1 DECIMAL (0.0) 2.0.2; 2 DECIMALS (0.00) 2.1; ANGLES 2.0.5

ALE DIMENSIONS IN MILELIME THE STREET OF EACH VIEW TOLLIANDER S BESIMME (8) 20.0, 1 BESIMME (8.0) 20.1, 7 MOLEO 20.0										
DESCRIPTION										
SEPPELTSFIELD SHOWROOM										
DRAWN BY		CLUSTER		-						
AG	10.09.13		ABINET S	FQUENT	TIAL CO	<b>INSTRUCTIO</b>	N			
710	10.00.10									
		SHEET		PAGE	SCALE	CODE		Rev		
DO NOT SCA	LE DRAWING	Δ3	$(\oplus)$	<b>8A</b> 0F13	1:20	N.	/Δ	1		
DO NOT SCA	LL DIAWING	AS		<b>O</b> AOF 13	1.20	14/		•		
			· '							







MATERIAL CODE ITEM **FINISH** MATERIALS FINISH CABINET DOORS 16mm BIRCH PLY WHITENED 10% CLEAR

- NOTES:


  1. BALLOONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS
  2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)
  3. ANY MODIFICATIONS FROM INITIAL APPROVED SAMPLE MUST BE
  SUBMITTED FOR APPROVAL
  4. DRAWING MUST BE APPROVED AND SIGNED PRIOR TO MANUFACTURE
  5. © THIS DRAWING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL
  FROM UCI MANUFACTURING





ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0.) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5

SEPPELTSFIELD SHOWROOM									
DRAWN BY	DRAWN DATE	CLUSTER		-					
AG 10.09.13 DOORS, CPU SHELF, PRINT TRAY (CITTING SIZES)									
	1	SHEET		PAGE	SCALE	CODE		Rev	
DO NOT SO	CALE DRAWING	<b>A3</b>		<b>11</b> 0F13	1:20	N	/ <b>A</b>	1	
			T .						



NOTES:

1. BALLONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS

2. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY (NON CRITICAL)

3. ANY MODIFICATION PROVAL

3. ANY MODIFICATION PROVAL

4. DRAWNING MUST BE APPROVED SAMPLE MUST BE


5. © THIS DRAWNING IS OWNED BY AND IS ONLY TO BE USED WITH APPROVAL

FROM UCI MANUFACTURING


1. BALLONED DIMENSIONS ARE CRITICAL INSPECTION DIMENSIONS

2. DIMENSIONS IN PARENTH APPROVED SAMPLE MUST BE APPROVED AND IS ONLY TO BE USED WITH APPROVAL

FROM UCI MANUFACTURING



SECTION AT WRAPPING DRAWER HEIGHT



SECTION AT CPU SHELF HEIGHT

ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0) ±0.5; 1 DECIMAL (0.0) ±0.2; 2 DECIMALS (0.00) ±0.1; ANGLES ±0.5

ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE SPECIFIED. GENERAL TOLERANCE: 0 DECIMAL (0.0) ±0.5, 1 DECIMAL (0.0) ±0.2, 2 DECIMALS (0.00) ±0.1, ANGLES ±0.5									
DEI TSEIEI D	SHU	WPOOM							
SEPPEL I SPIELD SHOWKOOW									
DRAWN DATE	CLUSTER								
AG 10.09.13 CABINET DEPTH ALLOWANCE									
'	SHEET	4 1	PAGE	SCALE	CODE		Rev		
CALE DRAWING	А3		<b>13</b> 0F13	1:20		N/A	1		
	DRAWN DATE 10.09.13	PELTSFIELD SHO  DRAWN DATE 10.09.13  CLUSTER SHEET	PELTSFIELD SHOWROOM  DRAWN DATE 10.09.13  CLUSTER CABINET D SHEET	PELTSFIELD SHOWROOM    DRAWN DATE   CLUSTER   CABINET DEPTH AIR     SHEET   PAGE   PAGE	PELTSFIELD SHOWROOM    DRAWN DATE	PELTSFIELD SHOWROOM  DRAWN DATE 10.09.13  CLUSTER CABINET DEPTH ALLOWANCE  SHEET  PAGE SCALE CODE	PELTSFIELD SHOWROOM  DRAWN DATE 10.09.13  CABINET DEPTH ALLOWANCE  SHEET  PAGE SCALE CODE		